

## REQUEST FOR COMPETATIVE BIDS

The Town of Encampment is hereby accepting competitive bids for the purchase and installation of new fencing and a backstop at McClure Field located at Fourth St. & Barnett Ave. in Encampment, Wyoming. The Town is seeking the removal of old fencing, to be retained by the Town, and the installation of approximately 1,100 linear feet of 72” tall galvanized chain link fence to include 3 each 3’ gates, one 12’ double gate and a 20’ straight backstop.

The Town of Encampment would like to complete this project late summer or early fall of 2026.

The full bid specifications may be found at the Town of Encampments website, [www.townofencampment.com](http://www.townofencampment.com)

Sealed bids must be received no later than 2:00 p.m. Monday May 6, 2026 by mail or hand delivered in a sealed package clearly labeled “McClure Field Fence Replacement Project.” to: Town of Encampment, PO Box 5, Encampment WY 82325.

Questions may be directed to Bill Acord, Public Works Supervisor at 307-329-6927.

The Town of Encampment reserves the right to refuse any or all bids.

Published March 19<sup>th</sup>, 26<sup>th</sup> & April 2<sup>nd</sup>, 2026  
Doreen Harvey, CMC, Clerk/Treasurer

# Town of Encampment

## **McClure Field / Baseball Park; Fence & Back Stop Replacement Project.**

The Town of Encampment is looking to replace the Back Stop and Perimeter Fence of the baseball field.

Due to the estimated cost of this project, the Town is obligated to go out for bid.

### Back Stop:

Goes from the SE corner of the NW dugout.

To the NW corner of the SE dugout.

Measuring 78ft from dugout to dugout. +/- 2ft.

20ft tall straight up and down, galvanized chain link fence.

With option for upgrading to black chain link fence.

### The Perimeter Fence:

72" tall, standard 9ga (2" mesh) galvanized fence approximately 1100 linear feet.

1 5/8" top rail, with 7ga bottom tension wire.

2 3/8" SS40 line post, 3" terminal posts.

3x 3ft walk through gates.

2x; One on each side 10ft off the dugout.

1x; center outfield.

1x 12ft double swing gate 6x6; on the south side.

The old perimeter fence will be removed and replaced with new material, at the same dimensions.

Roughly 280ft from home base.

The town would like to keep all the old fence and hardware that is removed.

### Items and Hazards to consider:

Irrigation / Sprinkler system.

Electricity on the West side from the power pole to the shed.

North corner, an unknown line buried runs east and west.

# Mclure Baseball Field Fence Replacement

